

- Achari, G., 334
Addo, K.O., 551, 558
Adnan, A., 843
Ahmed, M., 188
Akhras, G., 342
Al-Hunaidi, M.O., 506
Ali, F.H., 843
Alonso, E.E., 1013
Altaee, A., 11, 21
Ampadu, S.K., 874
Anagnostopoulos, C., 208
Atkinson, J.H., 878
Balasubramaniam, A.S., 393
Barbour, S.L., 730
Basudhar, P.K., 870
Bekkouché, N., 169
Bouchard, R., 512
Bovis, M.J., 345
Brown, C.J., 217
Burak, J.P., 112, 326
Byrne, P.M., 955
Campanella, R.G., 477
Cao, Y.L., 103
Carter, B.J., 53
Chan, D.H., 971
Chang, M.F., 168
Chapuis, R.P., 638, 711
Chen, Z., 971
Chen, Z.-Y., 225
Cherubini, C., 426
Chowdhury, R.N., 94
Choy, C.K., 843
Crawford, A.M., 1044
Crawford, C.B., 67
Cruden, D.M., 614, 675
Dagg, B.R., 345
deBoer, L.J., 67
Dell, A.G., 299
Dickin, E.A., 498
Dixon, D.A., 1113
Duncan, J.M., 1
Easa, S.M., 867
Eigenbrod, K.D., 112, 326
Eisenstein, Z., 609, 819, 1007
El Naggar, M.H., 569
Evgin, E., 11, 21
Fahey, M., 157
Fannin, R.J., 67
Fellenius, B.H., 11, 21
Ferreira, R.S., 918
Finn, W.D.L., 686
Fredlund, D.G., 195, 456
Fuglem, M.K., 143
Gaffran, P., 31
Garga, V.K., 627
Garrasi, A., 426
Gélinas, P., 696
Gendzwil, D.J., 666
Gens, A., 1013
Georgiadis, M., 208
Ghaly, A., 1002
Gillespie, D.G., 539
Girard, D., 638
Gold, L.W., 527
Graham, J., 263, 326, 1033
Gray, M.N., 1011, 1033, 1113
Haase, C.S., 234
Hagerty, D.J., 789
Han, Y., 702
Hanna, A., 375
Haug, M.D., 253
Hefny, A., 902
Heystee, R.J., 80
Hnatiw, D., 1113
Ho, D.Y.F., 195
Ho, K.S., 599
Hoek, E., 278
Hong, H.P., 161
Hornych, P., 117
Hryciw, R.D., 853
Hsi, J.P., 740
Hu, X., 675
Hueckel, T.A., 1071, 1087, 1095, 1120
Inculet, I.I., 599
Indraratna, B., 393
Isabel, D., 696
Jamieson, J.B., 61, 862
Jardine, J.D., 998
Jardine, R.J., 436
Jarrett, N.D., 217
Johnston, C.D., 61, 862
Jones, F.W., 516
Jordaan, I.J., 143
Joshi, R.C., 334
Kaniraj, S.R., 334
Kanno, T., 1102
Kenney, T.C., 364
Kern, C.B., 67
Khan, M.A., 627
King, H.L., 234
Kirsten, H.A.D., 288, 299
Kjartanson, B., 1044
Kostaschuk, R.A., 151
Kueper, B.H., 234
Küpper, A.A.G., 405, 418
Lacasse, S., 580
Ladanyi, B., 757, 1008
Lafleur, J., 169
Lajtai, E.Z., 53
Lam, L., 456
La Rochelle, P., 131
Larose, G., 131
Lau, K.C., 1044
Lau, W.H.W., 878
Lavoie, J., 638
Law, K.T., 103
Layang, J., 309
Le Bihan, J.P., 512
Leboeuf, D., 117
Lee, K.M., 39, 929, 941
Lefebvre, G., 117
Leroueil, S., 131, 512
Leung, C.F., 498
Little, T.E., 375
Lo, K.Y., 599, 902, 929
Lo, S.-C.R., 832
Locat, J., 696
Long, E.L., 998
Lu, Z.Y., 614
Lunne, T., 539
Lutemauer, J.L., 151
Ma, C., 1087
Mayne, P.W., 166
McKenna, G.T., 151
McKenna, R.F., 143
McRoberts, E.C., 650
Meyerhof, G.G., 1003
Miller-Cushon, J.D., 881, 890
Mirza, S.I., 315
Mohamed, A.M.O., 803, 1060
Moore, D.B., 217
Morgenstern, N.R., 353, 405, 418, 779, 971
Morris, P.H., 263
Nadim, F., 580
Naesgaard, E., 245
Nixon, J.F., 487
Nobre, M.M., 589

- Nofal, M.M., 789
Novak, M., 569
Novakowski, K.S., 80
Oswell, J.M., 1033
Pascal, F., 516
Pellegrini, R., 1095
Peterson, A.E., 31
Petrolla, C., 426
Phamvan, P., 393
Piper, R., 765
Poran, C.J., 796
Powell, J.J.M., 539, 878
Radhakrishna, H.S., 1044
Rahardjo, H., 195
Rahman, M.S., 309
Rajani, B., 779
Ramsamooj, D.V., 765
Raven, K.G., 80
Ravi, V., 721
Reddy, K.R., 989
Robertson, P.K., 448, 539, 551, 558, 686, 918
Rodriguez, J.A., 796
Rogers, J.S., 516
Roth, M.J.S., 879
Rowe, R.K., 39, 929, 941
Roy, M., 131
Saflekou, S., 208
Samarasekera, L., 609, 819, 1007
Sandford, T.C., 1004
Sarkis, G., 169
Sasitharan, S., 522
Saxena, S.K., 989
Schrivier, A.B., 880, 1005
Sego, D.C., 31, 405, 418
Sgaoula, J., 757, 1008
Shah, S., 278
Silvestri, V., 169, 993
Singh, D.N., 870
Sladen, J.A., 322, 650
Small, C.A., 353
Small, J.C., 740
Soulié, M., 169
St-Arnaud, L.C., 466
Stead, D., 666
Stewart, W.P., 477
Stimpson, B., 188
Stone, B.M., 143
Sully, J.P., 539
Sungaila, M.A., 364
Swallow, M.A., 364
Sykes, J.F., 589, 881, 890
Tabib, C., 993
Tanguay, L., 117
Tardif, J., 131
Tarnawski, V.R., 714
Tatsuoka, F., 874
Thomann, T.G., 853
Thomas, H.R., 1107
Treen, C.R., 448
Troughton, V.M., 529
Vaid, Y.P., 522
Valsangkar, A.J., 880, 1005, 1006
van Veen, M.A., 364
Vaziri, H.H., 529, 702
Wagner, B., 714
Wakamatsu, H., 1102
Wang, B.W., 803
Williams, D.J., 263
Woeller, D.J., 448, 539, 551, 686
Wong, L.C., 253
Wong, Y.K., 393
Xu, D-W., 832
Yager, R.M., 80
Yalcin, A.S., 1003
Yan, L., 955
Yanful, E.K., 466
Yang, N., 730
Yarmak, E., 998
Yong, R.N., 803, 1060
Zhang, Z.M., 456

A. General

04. *Textbooks, Handbooks, and Periodicals*
Living ice — understanding glaciers and glaciation. Gold, L.W., 527
Principles, methods and applications of particle size analysis. Valsangkar, A.J., 1006
10. *Research Activities*
Workshop on Stress Partitioning in Engineered Clay Barriers, Duke University, Durham, NC., U.S.A., May 29-31, 1992: Overview. Gray, M.N., 1011

B. Geological and Environmental Aspects

01. *Formation of Soils and Rocks*
Interpretation of overconsolidation ratio from *in situ* tests in Recent clay deposits in Singapore and Malaysia: Reply. Chang, M.F., 168
02. *Hydrogeological Aspects*
Supernormal fluid pressures in sedimentary rocks of southern Ontario — western New York State. Raven, K.G., Novakowski, K.S., Yager, R.M., and Heystee, R.J., 80
Leakage of dense, nonaqueous phase liquids from waste impoundments constructed in fractured rock and clay: theory and case history. Kueper, B.H., Haase, C.S., and King, H.L., 234
Migration of acidic pore waters at the Waite Amulet tailings site near Rouyn-Noranda, Quebec, Canada. Yanful, E.K., and St.-Arnaud, L.C., 466
Interpretation of the tilt response of two tiltmeters to water injection into a tar sands formation. Jones, F.W., Pascal, F., and Rogers, J.S., 516
Use of a groundwater flow model to explain strong upward gradients in rock formation underneath the Mercier site. Isabel, D., Gélinas, P., and Locat, J., 696
Ground settlements and drawdown of the water table around an excavation. Hsi, J.P., and Small, J.C., 740
03. *Mass Movements and Land Subsidence*
Simulation of risk of progressive slope failure. Chowdhury, R.N., 94
Slope failures associated with the 1988 Saguenay earthquake, Quebec, Canada. Lefebvre, G., Leboeuf, D., Hornych, P., and Tanguay, L., 117
Large-scale mass-wasting events on the Fraser River delta front near Sand Heads, British Columbia. McKenna, G.T., Luternauer, J.L., and Kostaschuk, R.A., 151
Debris flow triggering by impulsive loading: mechanical modelling and case studies. Bovis, M.J., and Dagg, B.R., 345
The rockslide and debris flow from Mount Cayley, B.C., in June 1984. Cruden, D.M., and Lu, Z.Y., 614
Snowpack characteristics associated with avalanche accidents. Jamieson, J.B., and Johnston, C.D., 862
04. *Seismic Activity and Crustal Movements*
Slope failures associated with the 1988 Saguenay earthquake, Quebec, Canada. Lefebvre, G., Leboeuf, D., Hornych, P., and Tanguay, L., 117
06. *Submarine Geological Aspects*
Large-scale mass-wasting events on the Fraser River delta front near Sand Heads, British Columbia. McKenna, G.T., Luternauer, J.L., and Kostaschuk, R.A., 151
Cone penetration testing in stiff glacial soils using a downhole cone penetrometer. Treen, C.R., Robertson, P.K., and Woeller, D.J., 448
10. *Mineralogical Aspects*
Influence of amorphous silica and iron hydroxide on interparticle action and soil surface properties. Yong, R.N., Mohamed, A.M.O., and Wang, B.W., 803

¹ Based on the International Geotechnical Classification System (IGC) as revised 1981.

11. *Description of Regional Soil and Rock Conditions*

- Supernormal fluid pressures in sedimentary rocks of southern Ontario — western New York State. Raven, K.G., Novakowski, K.S., Yager, R.M., and Heystee, R.J., 80
- Large-scale mass-wasting events on the Fraser River delta front near Sand Heads, British Colombia. McKenna, G.T., Luternauer, J.L., and Kostaschuk, R.A., 151
- Debris flow triggering by impulsive loading: mechanical modelling and case studies. Bovis, M.J., and Dagg, B.R., 345
- Application of Bayesian Kriging to subsurface characterization. Nobre, M.M., and Sykes, J.F., 589
- The rockslide and debris flow from Mount Cayley, B.C., in June 1984. Cruden, D.M., and Lu, Z.Y., 614
- Interpretation of field vane strength of an anisotropic soil. Garga, V.K., and Khan, M.A., 627
- Rock mass characterization around Saskatchewan potash mine openings using geophysical techniques: a review. Gendzwil, D.J., and Stead, D., 666

12. *Other Environmental Aspects*

- Migration of acidic pore waters at the Waite Amulet tailings site near Rouyn-Noranda, Quebec, Canada. Yanful, E.K., and St.-Arnaud, L.C., 466
- Use of a groundwater flow model to explain strong upward gradients in rock formation underneath the Mercier site. Isabel, D., Gélinas, P., and Locat, J., 696

C. Site Investigations

02. *Geophysical Surveys*

- Seismic cone analysis using digital signal processing for dynamic site characterization. Campanella, R.G., and Stewart, W.P., 477
- Difficulties with phase spectrum unwrapping in spectral analysis of surface waves nondestructive testing of pavements. Al-Hunaidi, M.O., 506
- Shear-wave velocity measurement of soils using Rayleigh waves. Addo, K.O., and Robertson, P.K., 558
- Rock mass characterization around Saskatchewan potash mine openings using geophysical techniques: a review. Gendzwil, D.J., and Stead, D., 666
- Seismic cone penetration test for evaluating liquefaction potential under cyclic loading. Robertson, P.K., Woeller, D.J., and Finn, W.D.L., 686

03. *Probing (Soundings)*

- Seismic cone analysis using digital signal processing for dynamic site characterization. Campanella, R.G., and Stewart, W.P., 477
- Estimating coefficient of consolidation from piezocone tests. Robertson, P.K., Sully, J.P., Woeller, D.J., Lunne, T., Powell, J.J.M., and Gillespie, D.G., 539
- Seismic cone penetration test for evaluating liquefaction potential under cyclic loading. Robertson, P.K., Woeller, D.J., and Finn, W.D.L., 686

05. *Boring Techniques and Equipment*

- Nonlinear stiffness parameters from undrained pressuremeter tests. Jardine, R.J., 436
- Standard penetration test energy measurements using a system based on the personal computer. Robertson, P.K., Woeller, D.J., and Addo, K.O., 551
- Shear-wave velocity measurement of soils using Rayleigh waves. Addo, K.O., and Robertson, P.K., 558
- Interpretation of field vane strength of an anisotropic soil. Garga, V.K., and Khan, M.A., 627
- Stiffness and strength changes in cohesionless soils due to disturbance. Thomann, T.G., and Hryciw, R.D., 853
- Interpretation of undrained self-boring pressuremeter test results incorporating unloading. Ferreira, R.S., and Robertson, P.K., 918
- Analysis of elliptic vanes. Silvestri, V., and Tabib, C., 993

07. *Measurement of Field Conditions (incl. Post-Construction Monitoring)*

- Supernormal fluid pressures in sedimentary rocks of southern Ontario — western New York State. Raven, K.G., Novakowski, K.S., Yager, R.M., and Heystee, R.J., 80
- Field measurement of anchor forces, ground temperatures, and pore-water pressures behind a retaining structure in northwestern Ontario. Eigenbrod, K.D., and Burak, J.P., 112
- Slope failures associated with the 1988 Saguenay earthquake, Quebec, Canada. Lefebvre, G., Leboeuf, D., Hornych, P., and Tanguay, L., 117
- Interpretation of overconsolidation ratio from *in situ* tests in Recent clay deposits in Singapore and Malaysia: Discussion. Mayne, P.W., 166
- Interpretation of overconsolidation ratio from *in situ* tests in Recent clay deposits in Singapore and Malaysia: Reply. Chang, M.F., 168
- Obtaining accurate pressure measurements in a stored granular medium. Jarrett, N.D., Brown, C.J., and Moore, D.B., 217
- Nonlinear stiffness parameters from undrained pressuremeter tests. Jardine, R.J., 436
- Cone penetration testing in stiff glacial soils using a downhole cone penetrometer. Treen, C.R., Robertson, P.K., and Woeller, D.J., 448
- Seismic cone analysis using digital signal processing for dynamic site characterization. Campanella, R.G., and Stewart, W.P., 477
- Estimating coefficient of consolidation from piezocone tests. Robertson, P.K., Sully, J.P., Woeller, D.J., Lunne, T., Powell, J.J.M., and Gillespie, D.G., 539

- Standard penetration test energy measurements using a system based on the personal computer. Robertson, P.K., Woeller D.J., and Addo, K.O., 551
- Design, construction, performance, and repair of the soil-bentonite liners of two lagoons. Chapuis, R.P., Lavoie, J., and Girard, D., 638
- Ground settlements and drawdown of the water table around an excavation. Hsi, J.P., and Small, J.C., 740
- Sharp cone testing of creep properties of frozen sand. Ladanyi, B., and Sgaoula, J., 757
- Progressive failure of the Carsington Dam: a numerical study. Chen, Z., Morgenstern, N.R., and Chan, D.H., 971
- Erratum: Sharp cone testing of creep properties of frozen sand. Ladanyi, B., and Sgaoula, J., 1008
08. *Field Testing (excl. Tests for Engineering Properties, see Groups D and F)*
- Migration of acidic pore waters at the Waite Amulet tailings site near Rouyn-Noranda, Quebec, Canada. Yanful, E.K., and St.-Arnaud, L.C., 466
- Difficulties with phase spectrum unwrapping in spectral analysis of surface waves nondestructive testing of pavements. Al-Hunaidi, M.O., 506
- Interpretation of the tilt response of two tiltmeters to water injection into a tar sands formation. Jones, F.W., Pascal, F., and Rogers, J.S., 516
- Standard penetration test energy measurements using a system based on the personal computer. Robertson, P.K., Woeller D.J., and Addo, K.O., 551
- Shear-wave velocity measurement of soils using Rayleigh waves. Addo, K.O., and Robertson, P.K., 558
- Stiffness and strength changes in cohesionless soils due to disturbance. Thomann, T.G., and Hryciw, R.D., 853

D. Soil Properties: Laboratory and In-Situ Determinations

01. *Classification and Description of Soils*
- Interpretation of overconsolidation ratio from *in situ* tests in Recent clay deposits in Singapore and Malaysia: Discussion. Mayne, P.W., 166
- Interpretation of overconsolidation ratio from *in situ* tests in Recent clay deposits in Singapore and Malaysia: Reply. Chang, M.F., 168
- Application of Bayesian Kriging to subsurface characterization. Nobre, M.M., and Sykes, J.F., 589
- Thermal analysis of forced-air and thermosyphon cooling systems for the Inuvik airport expansion: Discussion. Jardine, J.D., Long, E.L., and Yarmak, E., 998
- Principles, methods and applications of particle size analysis. Valsangkar, A.J., 1006
02. *Physico-Chemical Properties*
- Effets du gel sur les infrastructures routières argileuses au Québec. Roy, M., Tardif, J., Leroueil, S., Larose, G., et La Rochelle, P., 131
- Foundation problems in Champlain clays during droughts. II. Case histories. Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 169
- Cracking in drying soils. Morris, P.H., Graham, J., and Williams, D.J., 263
- Migration of acidic pore waters at the Waite Amulet tailings site near Rouyn-Noranda, Quebec, Canada. Yanful, E.K., and St.-Arnaud, L.C., 466
- A novel technique of electrical strengthening of soft sensitive clays by dielectrophoresis. Lo, K.Y., Ho, K.S., and Incullet, I.I., 599
- The impact of soil structure and confining stress on the hydraulic conductivity of clays in brine environments. Yang, N., and Barbour, S.L., 730
- Influence of amorphous silica and iron hydroxide on interparticle action and soil surface properties. Yong, R.N., Mohamed, A.M.O., and Wang, B.W., 803
- A framework for the behaviour of unsaturated expansive clays. Gens, A., and Alonso, E.E., 1013
- A study of particle interaction energies in wetting of unsaturated expansive clays. Yong, R.N., and Mohamed, A.M.O., 1060
03. *Composition, Structure, Density, and Water Contents*
- Foundation problems in Champlain clays during droughts. II. Case histories. Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouche, N., 169
- Volume change indices during loading and unloading of an unsaturated soil. Ho, D.Y.F., Fredlund, D.G., and Rahardjo, H., 195
- Obtaining accurate pressure measurements in a stored granular medium. Jarrett, N.D., Brown, C.J., and Moore, D.B., 217
- Impact of molding water content on hydraulic conductivity of compacted sand-bentonite. Haug, M.D., and Wong, L.C., 253
- Cracking in drying soils. Morris, P.H., Graham, J., and Williams, D.J., 263
- Laboratory tests to study hydraulic fill. Küpper, A.A.G., Morgenstern, N.R., and Sego, D.C., 405
- Comparison between various flume tests used for hydraulic-fill studies. Küpper, A.A.G., Morgenstern, N.R., and Sego, D.C., 418
- Cone penetration testing in stiff glacial soils using a downhole cone penetrometer. Treen, C.R., Robertson, P.K., and Woeller, D.J., 448
- The strength and dilatancy of sand. Vaid, Y.P., and Sasitharan, S., 522
- Similarity of internal stability criteria for granular soils. Chapuis, R.P., 711
- The impact of soil structure and confining stress on the hydraulic conductivity of clays in brine environments. Yang, N., and Barbour, S.L., 730
- Influence of amorphous silica and iron hydroxide on interparticle action and soil surface properties. Yong, R.N., Mohamed, A.M.O., and Wang, B.W., 803
- Use of rice husk ash to enhance lime treatment of soil. Ali, F.H., Adnan, A., and Choy, C.K., 843
- Principles, methods and applications of particle size analysis. Valsangkar, A.J., 1006

A study of particle interaction energies in wetting of unsaturated expansive clays. Yong, R.N., and Mohamed, A.M.O., 1060
 Water uptake and swelling properties of unsaturated bentonite buffer materials. Kanno, T., and Wakamatsu, H., 1102

04. *Hydraulic Properties*

Experiences with prefabricated vertical (wick) drains at Vernon, B.C. Crawford, C.B., Fannin, R.J., deBoer, L.J., and Kern, C.B., 67
 Impact of molding water content on hydraulic conductivity of compacted sand-bentonite. Haug, M.D., and Wong, L.C., 253
 Hydraulic conductivity of compacted bentonite - sand mixtures. Kenney, T.C., van Veen, M.A., Swallow, M.A., and Sungaila, M.A., 364
 Laboratory tests to study hydraulic fill. Küpper, A.A.G., Morgenstern, N.R., and Sego, D.C., 405
 Comparison between various flume tests used for hydraulic-fill studies. Küpper, A.A.G., Morgenstern, N.R., and Sego, D.C., 418
 Migration of acidic pore waters at the Waite Amulet tailings site near Rouyn-Noranda, Quebec, Canada. Yanful, E.K., and St-Arnaud, L.C., 466
 Remarks on the design of clay liners used in lagoons at hydraulic barriers. Leroueil, S., Le Bihan, J.P., and Bouchard, R., 512
 Interpretation of the tilt response of two tiltmeters to water injection into a tar sands formation. Jones, F.W., Pascal, F., and Rogers, J.S., 516
 Design, construction, performance, and repair of the soil-bentonite liners of two lagoons. Chapuis, R.P., Lavoie, J., and Girard, D., 638
 Use of a groundwater flow model to explain strong upward gradients in rock formation underneath the Mercier site. Isabel, D., Gélinas, P., and Locat, J., 696
 Similarity of internal stability criteria for granular soils. Chapuis, R.P., 711
 The impact of soil structure and confining stress on the hydraulic conductivity of clays in brine environments. Yang, N., and Barbour, S.L., 730
 The interpretation of horizontal and mixed-mode fractures in hydraulic fracturing tests in rocks. Hefny, A., and Lo, K.Y., 902
 Liquefaction resistance of cemented sands under multidirectional cyclic loading. Reddy, K.R., and Saxena, S.K., 989
 A framework for the behaviour of unsaturated expansive clays. Gens, A., and Alonso, E.E., 1013
 The effective stress concept in saturated sand-clay buffer. Graham, J., Oswell, J.M., and Gray, M.N., 1033
 Numerical modelling of heat and moisture transport through bentonite-sand buffer. Radhakrishna, H.S., Crawford, A.M., Kjartanson, B., and Lau, K.C., 1044
 A study of particle interaction energies in wetting of unsaturated expansive clays. Yong, R.N., and Mohamed, A.M.O., 1060
 Water-mineral interaction in hygro-mechanics of clays exposed in environmental loads: a mixture-theory approach. Hueckel, T.A., 1071
 Stress and pore pressure in saturated clay subjected to heat from radioactive waste: a numerical simulation. Ma, C., and Hueckel, T., 1087
 Effective stress and water pressure in saturated clays during heating-cooling cycles. Hueckel, T., and Pellegrini, R., 1095
 Water uptake and swelling properties of unsaturated bentonite buffer materials. Kanno, T., and Wakamatsu, H., 1102
 On the development of a model of coupled heat and moisture transfer in unsaturated soil. Thomas, H.R., 1107
 Critical gradients and pressures in dense swelling clays. Dixon, D.A., Gray, M.N., and Hnatiw, D., 1113
 On effective stress concepts and deformation in clays subjected to environmental loads: Discussion. Hueckel, T., 1120

05. *Compressibility and Swelling*

Experiences with prefabricated vertical (wick) drains at Vernon, B.C. Crawford, C.B., Fannin, R.J., deBoer, L.J., and Kern, C.B., 67
 One-dimensional consolidation with uncertain properties. Hong, H.P., 161
 Interpretation of overconsolidation ratio from *in situ* tests in Recent clay deposits in Singapore and Malaysia: Discussion. Mayne, P.W., 166
 Interpretation of overconsolidation ratio from *in situ* tests in Recent clay deposits in Singapore and Malaysia: Reply. Chang, M.F., 168
 Foundation problems in Champlain clays during droughts. II. Case histories. Silvestri, V., Soulié, M., Lafleur, J., Sarkis, G., and Bekkouché, N., 169
 Cracking in drying soils. Morris, P.H., Graham, J., and Williams, D.J., 263
 Nonlinear stiffness parameters from undrained pressuremeter tests. Jardine, R.J., 436
 Estimating coefficient of consolidation from piezocone tests. Robertson, P.K., Sully, J.P., Woeller, D.J., Lunne, T., Powell, J.J.M., and Gillespie, D.G., 539
 A novel technique of electrical strengthening of soft sensitive clays by dielectrophoresis. Lo, K.Y., Ho, K.S., and Inculat, I.I., 599
 Behaviour of a semi-infinite beam in a creeping medium. Rajani, B., and Morgenstern, N., 779
 Interpretation of undrained self-boring pressuremeter test results incorporating unloading. Ferreira, R.S., and Robertson, P.K., 918
 Analysis of elliptic vanes. Silvestri, V., and Tabib, C., 993
 A framework for the behaviour of unsaturated expansive clays. Gens, A., and Alonso, E.E., 1013
 The effective stress concept in saturated sand-clay buffer. Graham, J., Oswell, J.M., and Gray, M.N., 1033
 Water-mineral interaction in hygro-mechanics of clays exposed in environmental loads: a mixture-theory approach. Hueckel, T.A., 1071
 Stress and pore pressure in saturated clay subjected to heat from radioactive waste: a numerical simulation. Ma, C., and Hueckel, T., 1087
 Effective stress and water pressure in saturated clays during heating-cooling cycles. Hueckel, T., and Pellegrini, R., 1095
 Water uptake and swelling properties of unsaturated bentonite buffer materials. Kanno, T., and Wakamatsu, H., 1102
 Critical gradients and pressures in dense swelling clays. Dixon, D.A., Gray, M.N., and Hnatiw, D., 1113
 On effective stress concepts and deformation in clays subjected to environmental loads: Discussion. Hueckel, T., 1120

06. *Shear-Deformation and Strength Properties*

Energy dissipation and dynamic behaviour of clay under cyclic loading. Cao, Y.L., and Law, K.T., 103
 Large-scale mass-wasting events on the Fraser River delta front near Sand Heads, British Columbia. McKenna, G.T., Luternauer, J.L., and Kostashuk, R.A., 151
 Shear modulus of cohesionless soil: variation with stress and strain level. Fahey, M., 157

- Interpretation of overconsolidation ratio from *in situ* tests in Recent clay deposits in Singapore and Malaysia: Discussion. Mayne, P.W., 166
- Interpretation of overconsolidation ratio from *in situ* tests in Recent clay deposits in Singapore and Malaysia: Reply. Chang, M.F., 168
- Nonlinear stiffness parameters from undrained pressuremeter tests. Jardine, R.J., 436
- Remarks on the design of clay liners used in lagoons at hydraulic barriers. Leroueil, S., Le Bihan, J.P., and Bouchard, R., 512
- The strength and dilatancy of sand. Vaid, Y.P., and Sasitharan, S., 522
- A novel technique of electrical strengthening of soft sensitive clays by dielectrophoresis. Lo, K.Y., Ho, K.S., and Inculet, I.I., 599
- Interpretation of field vane strength of an anisotropic soil. Garga, V.K., and Khan, M.A., 627
- Observations on static and cyclic sand-liquefaction methodologies. McRoberts, E.C., and Sladen, J.A., 650
- Seismic cone penetration test for evaluating liquefaction potential under cyclic loading. Robertson, P.K., Woeller, D.J., and Finn, W.D.L., 686
- Statistical modelling of spatial variability of undrained strength. Ravi, V., 721
- Sharp cone testing of creep properties of frozen sand. Ladanyi, B., and Sgaoula, J., 757
- Theoretical prediction of rutting in flexible pavement subgrades. Ramsamooj, D.V., and Piper, R., 765
- A strain-based design method for the collapse limit state of reinforced soil walls or slopes. Lo, S-C.R., and Xu, D-W., 832
- Stiffness and strength changes in cohesionless soils due to disturbance. Thomann, T.G., and Hryciw, R.D., 853
- Measurement of soil strength in simple shear tests: Discussion. Ampadu, S.K., and Tatsuoka, F., 874
- Measurement of soil strength in simple shear tests: Reply. Ampadu, S.K., and Tatsuoka, F., 878
- Interpretation of undrained self-boring pressuremeter test results incorporating unloading. Ferreira, R.S., and Robertson, P.K., 918
- Analysis of elliptic vanes. Silvestri, V., and Tabib, C., 993
- Bearing capacity of flexible piles under eccentric and inclined loads in layered soil: Reply. Yalcin, A.S., and Meyerhof, G.G., 1003
- Erratum: Sharp cone testing of creep properties of frozen sand. Ladanyi, B., and Sgaoula, J., 1008
- The effective stress concept in saturated sand-clay buffer. Graham, J., Oswell, J.M., and Gray, M.N., 1033
- Water-mineral interaction in hygromechanics of clays exposed in environmental loads: a mixture-theory approach. Hueckel, T.A., 1071
- Stress and pore pressure in saturated clay subjected to heat from radioactive waste: a numerical simulation. Ma, C., and Hueckel, T., 1087
- Effective stress and water pressure in saturated clays during heating-cooling cycles. Hueckel, T., and Pellegrini, R., 1095
- On effective stress concepts and deformation in clays subjected to environmental loads: Discussion. Hueckel, T., 1120
07. *Dynamic Properties*
- Energy dissipation and dynamic behaviour of clay under cyclic loading. Cao, Y.L., and Law, K.T., 103
- Shear modulus of cohesionless soil: variation with stress and strain level. Fahey, M., 157
- Volume change indices during loading and unloading of an unsaturated soil. Ho, D.Y.F., Fredlund, D.G., and Rahardjo, H., 195
- Lateral load tests to examine large-strain (seismic) behaviour of piles. Naesgaard, E., 245
- Compaction of dune sand backfill by concrete shaft vibrators. Mirza, S.I., 315
- Influence of cycling pore-water pressures and principal stress ratios on drained deformations in clay. Eigenbrod, K.D., Graham, J., and Burak, J.-P., 326
- Seismic cone analysis using digital signal processing for dynamic site characterization. Campanella, R.G., and Stewart, W.P., 477
- Observations on static and cyclic sand-liquefaction methodologies. McRoberts, E.C., and Sladen, J.A., 650
- Seismic cone penetration test for evaluating liquefaction potential under cyclic loading. Robertson, P.K., Woeller, D.J., and Finn, W.D.L., 686
- Nonlinear vibration of pile groups under lateral loading. Vaziri, H.H., and Han, Y., 702
- Stiffness and strength changes in cohesionless soils due to disturbance. Thomann, T.G., and Hryciw, R.D., 853
- Liquefaction resistance of cemented sands under multidirectional cyclic loading. Reddy, K.R., and Saxena, S.K., 989
- Numerical modelling of heat and moisture transport through bentonite-sand buffer. Radhakrishna, H.S., Crawford, A.M., Kjartanson, B., and Lau, K.C., 1044
- On the development of a model of coupled heat and moisture transfer in unsaturated soil. Thomas, H.R., 1107
08. *Thermal Properties*
- Field measurement of anchor forces, ground temperatures, and pore-water pressures behind a retaining structure in northwestern Ontario. Eigenbrod, K.D., and Burak, J.P., 112
- Discrete ice lens theory for frost heave beneath pipelines. Nixon, J.F., 487
- A new computerized approach to estimating the thermal properties of unfrozen soils. Tarnawski, V.R., and Wagner, B., 714
- Sharp cone testing of creep properties of frozen sand. Ladanyi, B., and Sgaoula, J., 757
- Thermal analysis of forced-air and thermosiphon cooling systems for the Inuvik airport expansion: Discussion. Jardine, J.D., Long, E.L., and Yarnak, E., 998
- Erratum: Sharp cone testing of creep properties of frozen sand. Ladanyi, B., and Sgaoula, J., 1008
09. *Compactibility*
- Impact of molding water content on hydraulic conductivity of compacted sand-bentonite. Haug, M.D., and Wong, L.C., 253
- Compaction of dune sand backfill by concrete shaft vibrators. Mirza, S.I., 315
- Remarks on the design of clay liners used in lagoons at hydraulic barriers. Leroueil, S., Le Bihan, J.P., and Bouchard, R., 512
- Design of dynamic compaction. Poran, C.J., and Rodriguez, J.A., 796
- Use of rice husk ash to enhance lime treatment of soil. Ali, F.H., Adnan, A., and Choy, C.K., 843

10. *Properties of Soil-Additive Mixtures*

Hydraulic conductivity of compacted bentonite – sand mixtures. Kenney, T.C., van Veen, M.A., Swallow, M.A., and Sungaila, M.A., 364
Influence of amorphous silica and iron hydroxide on interparticle action and soil surface properties. Yong, R.N., Mohamed, A.M.O., and Wang, B.W., 803

Use of rice husk ash to enhance lime treatment of soil. Ali, F.H., Adnan, A., and Choy, C.K., 843

Liquefaction resistance of cemented sands under multidirectional cyclic loading. Reddy, K.R., and Saxena, S.K., 989

E. Analysis of Soil-Engineering Problems01. *Stress Analysis*

Partial and total factors of safety in anchored sheet pile design: Reply. Valsangkar, A.J., and Schriver, A.B., 880

Partial and total factors of safety in anchored sheet pile design: Discussion. Sandford, T.C., 1004

Partial and total factors of safety in anchored sheet pile design: Reply. Valsangkar, A.J., and Schriver, A.B., 1005

02. *Deformation and Settlement Problems*

Thirteenth Bjerrum Memorial Lecture: A case history of mysterious settlements in a building. Duncan, J.M., 1

An evaluation of simplified techniques for estimating three-dimensional undrained ground movements due to tunnelling in soft soils.

Rowe, R.K., and Lee, K.M., 39

Experiences with prefabricated vertical (wick) drains at Vernon, B.C. Crawford, C.B., Fannin, R.J., deBoer, L.J., and Kern, C.B., 67

Effets du gel sur les infrastructures routières argileuses au Québec. Roy, M., Tardif, J., Leroueil, S., Larose, G., et La Rochelle, P., 131

One-dimensional consolidation with uncertain properties. Hong, H.P., 161

Volume change indices during loading and unloading of an unsaturated soil. Ho, D.Y.F., Fredlund, D.G., and Rahardjo, H., 195

The adhesion factor: applications and limitations. Sladen, J.A., 322

Influence of cycling pore-water pressures and principal stress ratios on drained deformations in clay. Eigenbrod, K.D., Graham, J., and

Burak, J.-P., 326

Stability of unsupported tunnels in clay. Eisenstein, Z., and Samarasekera, L., 609

Ground settlements and drawdown of the water table around an excavation. Hsi, J.P., and Small, J.C., 740

Pore pressures around tunnels in clay. Samarasekera, L., and Eisenstein, Z., 819

Subsidence owing to tunnelling. I. Estimating the gap parameter. Lee, K.M., Rowe, R.K., and Lo, K.Y., 929

Subsidence owing to tunnelling. II. Evaluation of a prediction technique. Rowe, R.K., and Lee, K.M., 941

Erratum: Stability of unsupported tunnels in clay. Eisenstein, A., and Samarasekera, L., 1007

Erratum: Pore pressures around tunnels in clay. Samarasekera, L., and Eisenstein, Z., 1007

03. *Bearing Capacity of Shallow Foundations*

Volume change indices during loading and unloading of an unsaturated soil. Ho, D.Y.F., Fredlund, D.G., and Rahardjo, H., 195

Exact probabilistic solution of two-parameter bearing capacity for shallow foundations. Easa, S.M., 867

Subsidence owing to tunnelling. II. Evaluation of a prediction technique. Rowe, R.K., and Lee, K.M., 941

04. *Bearing Capacity of Piles and other Deep Foundations*

Axial load transfer for piles in sand. I. Tests on an instrumented precast pile. Altaee, A., Fellenius, B.H., and Evgin, E., 11

Axial load transfer for piles in sand. II. Numerical analysis. Altaee, A., Evgin, E., and Fellenius, B.H., 21

Centrifugal testing of laterally loaded piles in sand. Georgiadis, M., Anagnostopoulos, C., and Safflekou, S., 208

Lateral load tests to examine large-strain (seismic) behaviour of piles. Naesgaard, E., 245

The adhesion factor: applications and limitations. Sladen, J.A., 322

Effect of loading history on the compression and uplift capacity of driven model piles in sand. Joshi, R.C., Achari, G., and Kaniraj, S.R., 334

Development of negative skin friction on driven piles in soft Bangkok clay. Indraratna, B., Balasubramaniam, A.S., Phamvan, P., and Wong, Y.K., 393

The influence of foundation geometry on the uplift behaviour of piles with enlarged bases. Dickinson, E.A., and Leung, C.F., 498

Analytical model for an innovative pile test. El Naggar, M.H., and Novak, M., 569

Probabilistic bearing capacity analysis of jack-up structures. Nadim, F., and Lacasse, S., 580

Nonlinear vibration of pile groups under lateral loading. Vaziri, H.H., and Han, Y., 702

Behaviour of a semi-infinite beam in a creeping medium. Rajani, B., and Morgenstern, N., 779

A note on the optimal lower bound pull-out capacity of inclined strip anchors in sand. Singh, D.N., and Basudhar, P.K., 870

Lateral pile response to monotonic pile head loading. Yan, L., and Byrne, P.M., 955

05. *Earth Pressure Problems*

Performance of an anchored sheet pile wall on the CN Rail line, Boston Bar, British Columbia. Gaffran, P., Sego, D.C., and Peterson, A.E., 31

Field measurement of anchor forces, ground temperatures, and pore-water pressures behind a retaining structure in northwestern Ontario. Eigenbrod, K.D., and Burak, J.P., 112

Limiting equilibrium, closed-form elastic, and numerical plastic analyses of stability of earth wall reinforced with grouted rebar nails and cable anchors. Kirsten, H.A.D., 288

Application of empirical performance criteria and limiting equilibrium principles in design of an earth wall reinforced with grouted rebar nails and cable anchors. Kirsten, H.A.D., and Dell, A.G., 299

- The reliability of an anchored sheet-pile wall embedded in a cohesionless soil. Cherubini, C., Garrasi, A., and Petrolia, C., 426
 An efficient three-dimensional soil-structure interaction model for analysis of earth retaining structures. Vaziri, H.H., and Troughton, V.M., 529
 Design aids: anchored bulkheads in sand. Hagerty, D.J., and Nofal, M.M., 789
 Partial and total factors of safety in anchored sheet pile design: Discussion. Roth, M.J.S., 879
 Partial and total factors of safety in anchored sheet pile design: Reply. Valsangkar, A.J., and Schriver, A.B., 880
 Subsidence owing to tunnelling. I. Estimating the gap parameter. Lee, K.M., Rowe, R.K., and Lo, K.Y., 929
 Partial and total factors of safety in anchored sheet pile design: Discussion. Sandford, T.C., 1004
 Partial and total factors of safety in anchored sheet pile design: Reply. Valsangkar, A.J., and Schriver, A.B., 1005
06. *Stability of Slopes and Excavations*
 Performance of an anchored sheet pile wall on the CN Rail line, Boston Bar, British Columbia. Gaffran, P., Sego, D.C., and Peterson, A.E., 31
 Simulation of risk of progressive slope failure. Chowdhury, R.N., 94
 Slope failures associated with the 1988 Saguenay earthquake, Quebec, Canada. Lefebvre, G., Leboeuf, D., Hornych, P., and Tanguay, L., 117
 Large-scale mass-wasting events on the Fraser River delta front near Sand Heads, British Columbia. McKenna, G.T., Luternauer, J.L., and Kostashuk, R.A., 151
 Random trials used in determining global minimum factors of safety of slopes. Chen, Z.-Y., 225
 Limiting equilibrium, closed-form elastic, and numerical plastic analyses of stability of earth wall reinforced with grouted rebar nails and cable anchors. Kirsten, H.A.D., 288
 Application of empirical performance criteria and limiting equilibrium principles in design of an earth wall reinforced with grouted rebar nails and cable anchors. Kirsten, H.A.D., and Dell, A.G., 299
 Debris flow triggering by impulsive loading: mechanical modelling and case studies. Bovis, M.J., and Dagg, B.R., 345
 Effect of the axis of moment equilibrium in slope stability analysis. Fredlund, D.G., Zhang, Z.M., and Lam, L., 456
 Stability of unsupported tunnels in clay. Eisenstein, Z., and Samarasekera, L., 609
 The rockslide and debris flow from Mount Cayley, B.C., in June 1984. Cruden, D.M., and Lu, Z.Y., 614
 Nonlinear vibration of pile groups under lateral loading. Vaziri, H.H., and Han, Y., 702
 Pore pressures around tunnels in clay. Samarasekera, L., and Eisenstein, Z., 819
 A strain-based design method for the collapse limit state of reinforced soil walls or slopes. Lo, S.-C.R., and Xu, D.-W., 832
 Partial and total factors of safety in anchored sheet pile design: Discussion. Roth, M.J.S., 879
 Progressive failure of the Carsington Dam: a numerical study. Chen, Z., Morgenstern, N.R., and Chan, D.H., 971
 Erratum: Stability of unsupported tunnels in clay. Eisenstein, A., and Samarasekera, L., 1007
 Erratum: Pore pressures around tunnels in clay. Samarasekera, L., and Eisenstein, Z., 1007
07. *Seepage and other Hydraulic Problems*
 Thirteenth Bjerrum Memorial Lecture: A case history of mysterious settlements in a building. Duncan, J.M., 1
 Experiences with prefabricated vertical (wick) drains at Vernon, B.C. Crawford, C.B., Fannin, R.J., deBoer, L.J., and Kern, C.B., 67
 Energy dissipation and dynamic behaviour of clay under cyclic loading. Cao, Y.L., and Law, K.T., 103
 Field measurement of anchor forces, ground temperatures, and pore-water pressures behind a retaining structure in northwestern Ontario. Eigenbrod, K.D., and Burak, J.P., 112
 A stochastic analysis of pollutant migration to evaluate the performance of clay liners. Layang, J., and Rahman, M.S., 309
 Remarks on the design of clay liners used in lagoons at hydraulic barriers. Leroueil, S., Le Bihan, J.P., and Bouchard, R., 512
 Design, construction, performance, and repair of the soil-bentonite liners of two lagoons. Chapuis, R.P., Lavoie, J., and Girard, D., 638
 Observations on static and cyclic sand-liquefaction methodologies. McRoberts, E.C., and Sladen, J.A., 650
 Use of a groundwater flow model to explain strong upward gradients in rock formation underneath the Mercier site. Isabel, D., Gélinas, P., and Locat, J., 696
 Similarity of internal stability criteria for granular soils. Chapuis, R.P., 711
 The impact of soil structure and confining stress on the hydraulic conductivity of clays in brine environments. Yang, N., and Barbour, S.L., 730
 Ground settlements and drawdown of the water table around an excavation. Hsi, J.P., and Small, J.C., 740
 Pore pressures around tunnels in clay. Samarasekera, L., and Eisenstein, Z., 819
 Erratum: Pore pressures around tunnels in clay. Samarasekera, L., and Eisenstein, Z., 1007
 A framework for the behaviour of unsaturated expansive clays. Gens, A., and Alonso, E.E., 1013
 The effective stress concept in saturated sand-clay buffer. Graham, J., Oswell, J.M., and Gray, M.N., 1033
 Numerical modelling of heat and moisture transport through bentonite-sand buffer. Radhakrishna, H.S., Crawford, A.M., Kjartanson, B., and Lau, K.C., 1044
 A study of particle interaction energies in wetting of unsaturated expansive clays. Yong, R.N., and Mohamed, A.M.O., 1060
 Water-mineral interaction in hygro-mechanics of clays exposed in environmental loads: a mixture-theory approach. Hueckel, T.A., 1071
 Stress and pore pressure in saturated clay subjected to heat from radioactive waste: a numerical simulation. Ma, C., and Hueckel, T., 1087
 Effective stress and water pressure in saturated clays during heating-cooling cycles. Hueckel, T., and Pellegrini, R., 1095
 Water uptake and swelling properties of unsaturated bentonite buffer materials. Kanno, T., and Wakamatsu, H., 1102
 On the development of a model of coupled heat and moisture transfer in unsaturated soil. Thomas, H.R., 1107
 Critical gradients and pressures in dense swelling clays. Dixon, D.A., Gray, M.N., and Hnatiw, D., 1113
 On effective stress concepts and deformation in clays subjected to environmental loads: Discussion. Hueckel, T., 1120

08. *Dynamic Problems*

Energy dissipation and dynamic behaviour of clay under cyclic loading. Cao, Y.L., and Law, K.T., 103

09. *Frost Action and Heat-Transfer Problems*

Discrete ice lens theory for frost heave beneath pipelines. Nixon, J.F., 487

Thermal analysis of forced-air and thermosyphon cooling systems for the Inuvik airport expansion: Discussion. Jardine, J.D., Long, E.L., and Yarmak, E., 998

Numerical modelling of heat and moisture transport through bentonite-sand buffer. Radhakrishna, H.S., Crawford, A.M., Kjartanson, B., and Lau, K.C., 1044

On the development of a model of coupled heat and moisture transfer in unsaturated soil. Thomas, H.R., 1107

10. *Analysis of Layered Systems and Pavements Behaviour*

Difficulties with phase spectrum unwrapping in spectral analysis of surface waves nondestructive testing of pavements. Al-Hunaidi, M.O., 506

Theoretical prediction of rutting in flexible pavement subgrades. Ramsamooj, D.V., and Piper, R., 765

Bearing capacity of flexible piles under eccentric and inclined loads in layered soil: Discussion. Ghaly, A., 1002

12. *Soil-Structure Interaction*

Performance of an anchored sheet pile wall on the CN Rail line, Boston Bar, British Columbia. Gaffran, P., Sego, D.C., and Peterson, A.E., 31

Effets du gel sur les infrastructures routières argileuses au Québec. Roy, M., Tardif, J., Leroueil, S., Larose, G., et La Rochelle, P., 131

Lateral load tests to examine large-strain (seismic) behaviour of piles. Naesgaard, E., 245

An efficient three-dimensional soil-structure interaction model for analysis of earth retaining structures. Vaziri, H.H., and Troughton, V.M., 529

13. *Mathematical Methods, Computer Analysis*

An evaluation of simplified techniques for estimating three-dimensional undrained ground movements due to tunnelling in soft soils.

Rowe, R.K., and Lee, K.M., 39

Simulation of risk of progressive slope failure. Chowdhury, R.N., 94

Leakage of dense, nonaqueous phase liquids from waste impoundments constructed in fractured rock and clay: theory and case history.

Kueper, B.H., Haase, C.S., and King, H.L., 234

Random trials used in determining global minimum factors of safety of slopes. Chen, Z.-Y., 225

Limiting equilibrium, closed-form elastic, and numerical plastic analyses of stability of earth wall reinforced with grouted rebar nails and cable anchors. Kirsten, H.A.D., 288

A stochastic analysis of pollutant migration to evaluate the performance of clay liners. Layang, J., and Rahman, M.S., 309

Nonlinear stress analysis of muskeg via finite element: Discussion. Akhras, G., 342

The reliability of an anchored sheet-pile wall embedded in a cohesionless soil. Cherubini, C., Garrasi, A., and Petrolla, C., 426

Effect of the axis of moment equilibrium in slope stability analysis. Fredlund, D.G., Zhang, Z.M., and Lam, L., 456

Discrete ice lens theory for frost heave beneath pipelines. Nixon, J.F., 487

An efficient three-dimensional soil-structure interaction model for analysis of earth retaining structures. Vaziri, H.H., and Troughton, V.M., 529

Analytical model for an innovative pile test. El Naggar, M.H., and Novak, M., 569

Probabilistic bearing capacity analysis of jack-up structures. Nadim, F., and Lacasse, S., 580

Application of Bayesian Kriging to subsurface characterization. Nobre, M.M., and Sykes, J.F., 589

Stability of unsupported tunnels in clay. Eisenstein, Z., and Samarasekera, L., 609

Use of a groundwater flow model to explain strong upward gradients in rock formation underneath the Mercier site. Isabel, D., Gélinas, P., and Locat, J., 696

Nonlinear vibration of pile groups under lateral loading. Vaziri, H.H., and Han, Y., 702

A new computerized approach to estimating the thermal properties of unfrozen soils. Tarnawski, V.R., and Wagner, B., 714

Statistical modelling of spatial variability of undrained strength. Ravi, V., 721

Ground settlements and drawdown of the water table around an excavation. Hsi, J.P., and Small, J.C., 740

Pore pressures around tunnels in clay. Samarasekera, L., and Eisenstein, Z., 819

Exact probabilistic solution of two-parameter bearing capacity for shallow foundations. Easa, S.M., 867

A note on the optimal lower bound pull-out capacity of inclined strip anchors in sand. Singh, D.N., and Basudhar, P.K., 870

Subsidence owing to tunnelling. I. Estimating the gap parameter. Lee, K.M., Rowe, R.K., and Lo, K.Y., 929

Subsidence owing to tunnelling. II. Evaluation of a prediction technique. Rowe, R.K., and Lee, K.M., 941

Lateral pile response to monotonic pile head loading. Yan, L., and Byrne, P.M., 955

Progressive failure of the Carsington Dam: a numerical study. Chen, Z., Morgenstern, N.R., and Chan, D.H., 971

Erratum: Stability of unsupported tunnels in clay. Eisenstein, A., and Samarasekera, L., 1007

Erratum: Pore pressures around tunnels in clay. Samarasekera, L., and Eisenstein, Z., 1007

Numerical modelling of heat and moisture transport through bentonite-sand buffer. Radhakrishna, H.S., Crawford, A.M., Kjartanson, B., and Lau, K.C., 1044

On the development of a model of coupled heat and moisture transfer in unsaturated soil. Thomas, H.R., 1107

14. *Model Test Analysis*
Centrifugal testing of laterally loaded piles in sand. Georgiadis, M., Anagnostopoulos, C., and Saflekou, S., 208
Laboratory tests to study hydraulic fill. Küpper, A.A.G., Morgenstern, N.R., and Sego, D.C., 405
Comparison between various flume tests used for hydraulic-fill studies. Küpper, A.A.G., Morgenstern, N.R., and Sego, D.C., 418
The influence of foundation geometry on the uplift behaviour of piles with enlarged bases. Dickinson, E.A., and Leung, C.F., 498
Lateral pile response to monotonic pile head loading. Yan, L., and Byrne, P.M., 955
Bearing capacity of flexible piles under eccentric and inclined loads in layered soil: Discussion. Ghaly, A., 1002
15. —
Axial load transfer for piles in sand. II. Numerical analysis. Altaee, A., Evgin, E., and Fellenius, B.H., 21

F. Rock Properties: Laboratory and In-Situ Determinations

01. *Classification and Description of Rocks and Rock Masses*
Rock mass characterization around Saskatchewan potash mine openings using geophysical techniques: a review. Gendzwil, D.J., and Stead, D., 666
04. *Hydraulic Properties*
Supernormal fluid pressures in sedimentary rocks of southern Ontario — western New York State. Raven, K.G., Novakowski, K.S., Yager, R.M., and Heystee, R.J., 80
The interpretation of horizontal and mixed-mode fractures in hydraulic fracturing tests in rocks. Hefny, A., and Lo, K.Y., 902
06. *Shear-Deformation and Strength Properties*
Rock slope stability and distributed joint systems. Carter, B.J., and Lajtai, E.Z., 53
Failure of a linear Voussoir arch: a laboratory and numerical study. Stimpson, B., and Ahmed, M., 188
The interpretation of horizontal and mixed-mode fractures in hydraulic fracturing tests in rocks. Hefny, A., and Lo, K.Y., 902

G. Analysis of Rock-Engineering Problems

01. *Stress Analysis*
Simplex reflection analysis of laboratory strength data. Shah, S., and Hoek, E., 278
02. *Deformation and Displacement Problems*
Failure of a linear Voussoir arch: a laboratory and numerical study. Stimpson, B., and Ahmed, M., 188
Simplex reflection analysis of laboratory strength data. Shah, S., and Hoek, E., 278
Performance of a highwall in soft rock, Highvale mine, Alberta. Small, C.A., and Morgenstern, N.R., 353
An estimate of rebound potential of the Shaftesbury shales at a damsite in British Columbia. Hanna, A., and Little, T.E., 375
Bearing capacity of flexible piles under eccentric and inclined loads in layered soil: Reply. Yalcin, A.S., and Meyerhof, G.G., 1003
05. *Rock Pressure on Tunnels and Underground Openings*
Failure of a linear Voussoir arch: a laboratory and numerical study. Stimpson, B., and Ahmed, M., 188
Rock mass characterization around Saskatchewan potash mine openings using geophysical techniques: a review. Gendzwil, D.J., and Stead, D., 666
06. *Stability of Rock Slopes and Open Excavations*
Rock slope stability and distributed joint systems. Carter, B.J., and Lajtai, E.Z., 53
Performance of a highwall in soft rock, Highvale mine, Alberta. Small, C.A., and Morgenstern, N.R., 353
Bearing capacity of flexible piles under eccentric and inclined loads in layered soil: Reply. Yalcin, A.S., and Meyerhof, G.G., 1003
07. *Seepage and other Hydraulic Problems*
Supernormal fluid pressures in sedimentary rocks of southern Ontario — western New York State. Raven, K.G., Novakowski, K.S., Yager, R.M., and Heystee, R.J., 80
Leakage of dense, nonaqueous phase liquids from waste impoundments constructed in fractured rock and clay: theory and case history. Kueper, B.H., Haase, C.S., and King, H.L., 234
14. *Model Test Analysis*
Failure of a linear Voussoir arch: a laboratory and numerical study. Stimpson, B., and Ahmed, M., 188

H. Design, Construction, and Behaviour of Engineering Works

01. *Foundations of Structures (other than dams)*
 Thirteenth Bjerrum Memorial Lecture: A case history of mysterious settlements in a building. Duncan, J.M., 1
 Axial load transfer for piles in sand. I. Tests on an instrumented precast pile. Altaee, A., Fellenius, B.H., and Evgin, E., 11
 Axial load transfer for piles in sand. II. Numerical analysis. Altaee, A., Evgin, E., and Fellenius, B.H., 21
 Development of negative skin friction on driven piles in soft Bangkok clay. Indraratna, B., Balasubramaniam, A.S., Phamvan, P., and Wong, Y.K., 393
 Analytical model for an innovative pile test. El Naggar, M.H., and Novak, M., 569
 Probabilistic bearing capacity analysis of jack-up structures. Nadim, F., and Lacasse, S., 580
 Nonlinear vibration of pile groups under lateral loading. Vaziri, H.H., and Han, Y., 702
 Ground settlements and drawdown of the water table around an excavation. Hsi, J.P., and Small, J.C., 740
 Exact probabilistic solution of two-parameter bearing capacity for shallow foundations. Easa, S.M., 867
02. *Retaining Structures and Cut-off Walls*
 Performance of an anchored sheet pile wall on the CN Rail line, Boston Bar, British Columbia. Gaffran, P., Sego, D.C., and Peterson, A.E., 31
 Design aids: anchored bulkheads in sand. Hagerty, D.J., and Nofal, M.M., 789
 A strain-based design method for the collapse limit state of reinforced soil walls or slopes. Lo, S.-C.R., and Xu, D.-W., 832
 Partial and total factors of safety in anchored sheet pile design: Discussion. Roth, M.J.S., 879
03. *Offshore Structures*
 Large-scale mass-wasting events on the Fraser River delta front near Sand Heads, British Columbia. McKenna, G.T., Luternauer, J.L., and Kostaschuk, R.A., 151
 Probabilistic bearing capacity analysis of jack-up structures. Nadim, F., and Lacasse, S., 580
 Observations on static and cyclic sand-liquefaction methodologies. McRoberts, E.C., and Sladen, J.A., 650
04. *Dams and Reservoirs*
 An estimate of rebound potential of the Shaftesbury shales at a damsite in British Columbia. Hanna, A., and Little, T.E., 375
 Design, construction, performance, and repair of the soil-bentonite liners of two lagoons. Chapuis, R.P., Lavoie, J., and Girard, D., 638
 Progressive failure of the Carsington Dam: a numerical study. Chen, Z., Morgenstern, N.R., and Chan, D.H., 971
05. *Tunnels and Underground Openings*
 An evaluation of simplified techniques for estimating three-dimensional undrained ground movements due to tunnelling in soft soils. Rowe, R.K., and Lee, K.M., 39
 Stability of unsupported tunnels in clay. Eisenstein, Z., and Samarasekera, L., 609
 Pore pressures around tunnels in clay. Samarasekera, L., and Eisenstein, Z., 819
 Subsidence owing to tunnelling. I. Estimating the gap parameter. Lee, K.M., Rowe, R.K., and Lo, K.Y., 929
 Subsidence owing to tunnelling. II. Evaluation of a prediction technique. Rowe, R.K., and Lee, K.M., 941
 Erratum: Stability of unsupported tunnels in clay. Eisenstein, A., and Samarasekera, L., 1007
 Erratum: Pore pressures around tunnels in clay. Samarasekera, L., and Eisenstein, Z., 1007
06. *Roads, Railroads, and Airfields*
 Experiences with prefabricated vertical (wick) drains at Vernon, B.C. Crawford, C.B., Fannin, R.J., deBoer, L.J., and Kern, C.B., 67
 Theoretical prediction of rutting in flexible pavement subgrades. Ramsamooj, D.V., and Piper, R., 765
07. *Harbours, Canals, and Coastal Engineering Works*
 Large-scale mass-wasting events on the Fraser River delta front near Sand Heads, British Columbia. McKenna, G.T., Luternauer, J.L., and Kostaschuk, R.A., 151
08. *Conduits and Culverts*
 Discrete ice lens theory for frost heave beneath pipelines. Nixon, J.F., 487
09. *Slopes and Unsupported Excavations*
 Limiting equilibrium, closed-form elastic, and numerical plastic analyses of stability of earth wall reinforced with grouted rebar nails and cable anchors. Kirsten, H.A.D., 288
 Application of empirical performance criteria and limiting equilibrium principles in design of an earth wall reinforced with grouted rebar nails and cable anchors. Kirsten, H.A.D., and Dell, A.G., 299
 A strain-based design method for the collapse limit state of reinforced soil walls or slopes. Lo, S.-C.R., and Xu, D.-W., 832
12. —
 The reliability of an anchored sheet-pile wall embedded in a cohesionless soil. Cherubini, C., Garrasi, A., and Petrolia, C., 426

K. Construction Methods and Equipment

01. *Drainage Methods*
Thirteenth Bjerrum Memorial Lecture: A case history of mysterious settlements in a building. Duncan, J.M., 1
Experiences with prefabricated vertical (wick) drains at Vernon, B.C. Crawford, C.B., Fannin, R.J., deBoer, L.J., and Kern, C.B., 67
A novel technique of electrical strengthening of soft sensitive clays by dielectrophoresis. Lo, K.Y., Ho, K.S., and Incullet, I.I., 599
05. *Compaction Processes*
Design of dynamic compaction. Poran, C.J., and Rodriguez, J.A., 796
06. *Soil Stabilization and Erosion Control*
A novel technique of electrical strengthening of soft sensitive clays by dielectrophoresis. Lo, K.Y., Ho, K.S., and Incullet, I.I., 599
07. *Piles and Pile Driving, incl. Sheet Piles*
Thirteenth Bjerrum Memorial Lecture: A case history of mysterious settlements in a building. Duncan, J.M., 1
Axial load transfer for piles in sand. I. Tests on an instrumented precast pile. Altaee, A., Fellenius, B.H., and Evgin, E., 11
Development of negative skin friction on driven piles in soft Bangkok clay. Indraratna, B., Balasubramaniam, A.S., Phamvan, P., and Wong, Y.K., 393
Partial and total factors of safety in anchored sheet pile design: Reply. Valsangkar, A.J., and Schriver, A.B., 880
Partial and total factors of safety in anchored sheet pile design: Discussion. Sandford, T.C., 1004
Partial and total factors of safety in anchored sheet pile design: Reply. Valsangkar, A.J., and Schriver, A.B., 1005
11. *Support of Soil and Rock*
Limiting equilibrium, closed-form elastic, and numerical plastic analyses of stability of earth wall reinforced with grouted rebar nails and cable anchors. Kirsten, H.A.D., 288
Application of empirical performance criteria and limiting equilibrium principles in design of an earth wall reinforced with grouted rebar nails and cable anchors. Kirsten, H.A.D., and Dell, A.G., 299
Design aids: anchored bulkheads in sand. Hagerty, D.J., and Nofal, M.M., 789
Partial and total factors of safety in anchored sheet pile design: Reply. Valsangkar, A.J., and Schriver, A.B., 880
Partial and total factors of safety in anchored sheet pile design: Discussion. Sandford, T.C., 1004
Partial and total factors of safety in anchored sheet pile design: Reply. Valsangkar, A.J., and Schriver, A.B., 1005
14. *Measures for Improving Deformation and Stability Conditions, Reconstruction of Foundations*
Thirteenth Bjerrum Memorial Lecture: A case history of mysterious settlements in a building. Duncan, J.M., 1

S. Snow and Ice Mechanics and Engineering

01. *Snow and Ice Cover*
Snowpack characteristics associated with avalanche accidents. Jamieson, J.B., and Johnston, C.D., 862
Adjoint sensitivity theory for a pack ice momentum model. Sykes, J.F., and Miller-Cushon, J.D., 881
Sensitivity analysis of ice motion near Adams Island. Sykes, J.F., and Miller-Cushon, J.D., 890
02. *Properties of Snow and Ice*
Effect of microcracking on the deformation of ice. Jordaan, I.J., Stone, B.M., McKenna, R.F., and Fuglem, M.K., 143
Snowpack characteristics associated with avalanche accidents. Jamieson, J.B., and Johnston, C.D., 862
03. *Snow and Ice Engineering*
A fracture-arrest model for unconfined dry slab avalanches. Jamieson, J.B., and Johnston, C.D., 61
Effect of microcracking on the deformation of ice. Jordaan, I.J., Stone, B.M., McKenna, R.F., and Fuglem, M.K., 143
Snowpack characteristics associated with avalanche accidents. Jamieson, J.B., and Johnston, C.D., 862
Adjoint sensitivity theory for a pack ice momentum model. Sykes, J.F., and Miller-Cushon, J.D., 881
Sensitivity analysis of ice motion near Adams Island. Sykes, J.F., and Miller-Cushon, J.D., 890

T. Related Disciplines

04. *Meteorology and Climatology*
Rock slope stability and distributed joint systems. Carter, B.J., and Lajtai, E.Z., 53
06. *Civil Engineering*
Obtaining accurate pressure measurements in a stored granular medium. Jarrett, N.D., Brown, C.J., and Moore, D.B., 217
Behaviour of a semi-infinite beam in a creeping medium. Rajani, B., and Morgenstern, N., 779

07. *Mining Engineering and Ore Prospecting*

Performance of a highwall in soft rock, Highvale mine, Alberta. Small, C.A., and Morgenstern, N.R., 353

14. *Environmental Problems and Nature Conservation*

A fracture-arrest model for unconfined dry slab avalanches. Jamieson, J.B., and Johnston, C.D., 61

Leakage of dense, nonaqueous phase liquids from waste impoundments constructed in fractured rock and clay: theory and case history.

Kueper, B.H., Haase, C.S., and King, H.L., 234

A stochastic analysis of pollutant migration to evaluate the performance of clay liners. Layang, J., and Rahman, M.S., 309

